

HOMMY

HƯỚNG DẪN SỬ DỤNG

BẾP ĐIỆN TỬ


Model: FYM20-71



Chân thành cảm ơn Quý khách đã lựa chọn sản phẩm Bếp điện từ HOMMY FYM20-71.
Vui lòng đọc sách hướng dẫn sử dụng này một cách cẩn thận trước khi bật thiết bị.
Việc tuân thủ các hướng dẫn trong sách hướng dẫn này sẽ giúp Quý khách sử dụng thiết bị đúng quy cách.
Luôn lưu giữ và để sách hướng dẫn sử dụng này ở nơi dễ lấy.

1. ĐẶC TÍNH NỔI BẬT

• Hiệu suất cao và tiết kiệm năng lượng: hoạt động dựa trên nguyên lý cảm ứng điện từ để làm nóng nhanh chóng và hiệu quả bằng cách kết hợp với các đường sức từ.



• An toàn và thân thiện với môi trường: chỉ làm nóng nồi-chảo đặt trên vùng nấu. Khi nhiệt độ quá cao hoặc điện áp thay đổi, bếp sẽ chuyển sang chế độ bảo vệ. Trong khi nấu không có lửa và khói, giúp cho việc nấu ăn dễ dàng và bảo vệ sức khỏe.

• Có thể điều chỉnh nhiệt độ linh hoạt.

• Chế độ hẹn giờ: bếp sẽ ngừng hoạt động theo thời gian đã điều chỉnh.

• Chức năng bảo vệ: để đảm bảo bếp từ hoạt động bình thường, bếp có các chức năng bảo vệ tương ứng.

• Dễ dàng vệ sinh.

2. LỰA CHỌN NỒI-CHẢO

• Chất liệu phù hợp:

Thép, gang, sắt tráng men, thép không gỉ với đáy nồi/chảo phẳng đường kính từ 12 đến 26cm.



• Chất liệu không phù hợp:

Không nên sử dụng nồi-chảo bằng nhôm, đồng hoặc hợp kim nhôm, dụng cụ nấu không có đáy nhiễm từ cũng như những dụng cụ nấu có đường kính nhỏ hơn 12cm, hoặc đường kính trên 26cm.



3. SỬ DỤNG

3.1 Bật bếp

Sau khi cắm dây nguồn vào ổ điện, chuông báo sẽ vang lên, đồng thời đèn báo và màn hình hiển thị sẽ sáng lên trong 1 giây, cho biết bếp đã được kết nối với nguồn điện và đang trong Chế độ sẵn sàng để sử dụng

3.2 Vận hành

- Dải công suất điều chỉnh: 200W - 2000W
- Sau khi cắm điện và bật bếp, đèn báo [Mở/Tắt] sẽ bật sáng. Bếp đã sẵn sàng hoạt động
- Đặt các dụng cụ nấu ăn phù hợp (có thức ăn) vào giữa vùng nấu, chạm vào nút [Mở/Tắt], sau đó vận hành một trong các chế độ nấu thích hợp

3.3 Lẩu

- Khi bếp đang ở chế độ chờ, chạm vào nút [Chức năng] để chọn chế độ [Lẩu], đèn LED [Mở/Tắt] và [Lẩu] sẽ bật sáng, màn hình hiển thị "1200" (W).
- Bếp sẽ làm nóng ở 1200W và có thể điều chỉnh cài đặt công suất bằng cách nhấn [+] hoặc [-], mức độ điều chỉnh từ 200W đến 2000W.

3.4 Chiên

- Khi bếp đang ở chế độ chờ, chạm vào nút [Chức năng] để chọn chế độ [Chiên], đèn LED [Mở/Tắt] và [Chiên] sẽ bật sáng, màn hình hiển thị 180°C.
- Bếp sẽ làm nóng ở 180°C và có thể điều chỉnh nhiệt độ bằng cách nhấn [+] hoặc [-], từ 60°C đến 240°C.

3.5 BBQ

- Khi bếp đang ở chế độ chờ, chạm vào nút [Chức năng] để chọn chế độ [BBQ], đèn LED [Mở/Tắt] và [BBQ] sẽ bật sáng, màn hình hiển thị 200 (°C).
- Bếp sẽ làm nóng ở 200°C và có thể điều chỉnh nhiệt độ bằng cách nhấn [+] hoặc [-], từ 60°C đến 240°C.

3.6 Xào

- Khi bếp đang ở chế độ chờ, chạm vào nút [Chức năng] để chọn chế độ [Xào], đèn LED [Mở/Tắt] và [Xào] sẽ bật sáng, màn hình hiển thị 2000 W.
- Bếp sẽ làm nóng ở 2000W và có thể điều chỉnh công suất bằng cách nhấn [+] hoặc [-], từ 200W đến 2000W.

3.7 Nấu sôi

- Khi bếp đang ở chế độ chờ, chạm vào nút [Chức năng] để chọn chế độ [Nấu sôi], đèn LED [Mở/Tắt] và [Nấu sôi] sẽ bật sáng, màn hình hiển thị 2000 W.
- Thời gian nấu mặc định cho chế độ [Nấu sôi] là 19 phút (15 phút đầu bếp nấu ở 2000W, 4 phút tiếp theo nấu ở 800W); bếp sẽ tự động tắt sau 19 phút, với 3 tiếng bíp báo hiệu.

3.8 Soup

- Khi bếp đang ở chế độ chờ, chạm vào nút [Chức năng] để chọn chế độ [Soup], đèn LED [Mở/Tắt] và [Soup] sẽ bật sáng, màn hình hiển thị "02:00" (thời gian).
- Thời gian nấu mặc định cho chế độ [Soup] là 2 giờ, bếp sẽ tự động tắt sau 2 giờ, với 3 tiếng bíp báo hiệu.
- Không thể điều chỉnh công suất trong chế độ nấu này.

3.9 Hấp

- Khi bếp đang ở chế độ chờ, chạm vào nút [Chức năng] để chọn chế độ [Hấp], đèn LED [Mở/Tắt] và [Hấp] sẽ bật sáng, màn hình hiển thị công suất 1000W.
- Thời gian nấu mặc định cho chế độ [Hấp] là 15 phút (5 phút đầu bếp nấu ở 1000W, 10 phút tiếp theo nấu ở 800W); bếp sẽ tự động tắt sau 15 phút, với 3 tiếng bíp báo hiệu.

3.10 Nấu sữa

- Khi bếp đang ở chế độ chờ, chạm vào nút [Chức năng] để chọn chế độ [Nấu sữa], đèn LED [Mở/Tắt] và [Nấu sữa] sẽ bật sáng, màn hình hiển thị công suất 60°C.
- Thời gian nấu mặc định cho chế độ [Nấu sữa] là 20 phút, bếp sẽ tự động tắt sau 20 phút, với 3 tiếng bíp báo hiệu.
- Không thể điều chỉnh nhiệt độ trong chế độ nấu này.

3.11 Cài đặt thời gian

- Bạn có thể cài đặt thời gian nấu, thay đổi hoặc kiểm tra trạng thái hiện tại của thời gian nấu còn lại bằng nút "Hẹn giờ". Bạn có thể đặt thời gian nấu từ 1 phút đến 3 giờ (tương đương 180 phút).
- Mỗi lần nhấn giữ nút [+] hoặc [-], Quý khách có thể tăng hoặc giảm 10 phút .
- Để áp dụng thời gian đã cài đặt, vui lòng đợi vài giây mà không nhấn các chức năng khác. Bộ hẹn giờ đang hoạt động.
- Lưu ý: Khi một cài đặt không được thay đổi trong khoảng 3 giây khi màn hình đang nhấp nháy, bếp sẽ sử dụng giá trị được hiển thị hoặc cài đặt cuối cùng.
- Quý khách có thể hủy hẹn giờ bằng cách giữ nút [Hẹn giờ] trong 3 giây.
- Để dừng quá trình nấu mà không cài đặt trước thời gian, vui lòng nhấn [Mở/Tắt].

3.12 Cài đặt trước (từ 00:01 đến 23:59 phút)

- Khi bếp đang ở chế độ chờ, Quý khách có thể cài đặt trước thời gian khởi động bếp với một chế độ nấu mong muốn.
- Cắm dây nguồn
- Nhấn [Mở/Tắt]
- Nhấn [Hẹn giờ]
- Khi hai số đầu tiên của “00:00” đang nhấp nháy, Quý khách nhấn [+] [-] thiết lập số giờ muốn hẹn trước.
- Khi đến lượt hai số cuối của “00:00” đang nhấp nháy, Quý khách nhấn nút [+] [-] để thiết lập số phút muốn hẹn trước.
- Nhấn [Chức năng] để chọn chế độ nấu mong muốn trong vòng 5 giây sau khi màn hình hiển thị nhấp nháy.
- Bếp sẽ tự động thực hiện chế độ nấu sau khoảng thời gian đã chọn.

3.12 Khóa trẻ em

- Nhấn giữ [Khóa] trong 2 giây, bếp sẽ chuyển sang trạng thái khóa, màn hình sẽ hiển thị “Loc”, bất kỳ phím chức năng cũng sẽ không hoạt động (ngoại trừ [Mở/Tắt]).
- Nhấn giữ [Khóa] trong 2 giây một lần nữa, bếp sẽ trở lại trạng thái mở khóa.

4. KHẮC PHỤC SỰ CỐ

Trong quá trình sử dụng, nếu xảy ra bất kỳ sự cố nào, Quý khách vui lòng kiểm tra thông tin trong bảng sau trước khi gọi cho Trung tâm Bảo hành. Dưới đây là các lỗi thường gặp và các bước kiểm tra:

HIỆN TƯỢNG/ MÃ CẢNH BÁO	VẤN ĐỀ
E0	Nồi/chảo đang sử dụng trên bếp không tương thích hoặc không có nồi/chảo trên bếp đang được sử dụng
E01	Điện áp đầu vào cao hơn điện áp bình thường
E02	Điện áp đầu vào thấp hơn điện áp bình thường
E03	IGBT bị quá nhiệt hoặc IGBT bị hở hoặc ngắn mạch
E06	Cảm biến mạch bị hở hoặc ngắn mạch
E07	Cảm biến bị quá nhiệt
E08	Cảm biến không hoạt động

5. BẢO DƯỠNG VÀ VỆ SINH

- Trước khi vệ sinh, vui lòng rút phích cắm điện để tránh bị điện giật.
- Không đặt bất cứ vật dễ cháy, vật có tính axit hoặc tính kiềm gần bếp để tránh bị ăn mòn và giảm tuổi thọ.
- Không nhúng trực tiếp bếp vào nước, không dùng xăng hoặc chất tẩy rửa mạnh để làm sạch, vui lòng sử dụng vải ẩm sạch và chất tẩy rửa trung tính.
- Không chà xát bề mặt đáy nồi-chảo để tránh làm hỏng mặt kính bếp khi nấu
- Vệ sinh bếp cẩn thận trước khi đặt vào nơi bảo quản.

6. LƯU Ý

- Sử dụng bếp ở nơi có nhiệt độ và độ ẩm thích hợp, khô ráo, thoáng khí.
- Vui lòng không chạm vào bề mặt bếp ngay sau khi sử dụng vì bếp có thể vẫn còn nóng.
- Vui lòng sử dụng các loại nồi-chảo đáy phẳng và chất liệu phù hợp.
- Vui lòng không nấu khi không có thực phẩm trong nồi-chảo.
- Để đạt được hiệu quả tốt nhất, vui lòng sử dụng các loại nồi được đề nghị nếu không có thể gây ra lỗi hoặc hiệu suất nấu kém.
- Nếu dây nguồn bị hỏng, nó phải được thay thế bởi nhà sản xuất, nhân viên bảo hành, người chuyên môn để tránh rủi ro nguy hiểm.
- Không để bất kỳ vật dụng kim loại nào lên bề mặt bếp, kể cả những vật phi kim loại khi bếp đang vận hành.
- Tránh gây va đập vào mặt kính của bếp, trong trường hợp mặt kính có vết nứt, vui lòng ngay lập tức tắt bếp và rút dây nguồn khỏi ổ cắm điện, sau đó liên hệ ngay với Bộ phận Bảo hành.
- Trẻ em và người bị suy giảm khả năng thể chất, giác quan, trí não hoặc thiếu kiến thức, kinh nghiệm không nên được sử dụng bếp trừ khi có người giám sát hoặc hướng dẫn về việc sử dụng bếp theo cách an toàn và hiểu rõ mối nguy hiểm liên quan.

HOMMY

INSTRUCTION MANUAL

INDUCTION COOKER


Model: FYM20-71



Thank you for purchasing this product, please read the manual carefully before using and keep it for future reference.

1. FEATURES

- Efficient and energy-saving: It uses electromagnetic induction to heat quickly and efficiently by combining with magnetic line's of force.



- Safe and environmental-friendly: It will only heat the pots put on the black crystal glass plate which is insulated and leak proof, so there is no worry about ruin by split water or milk etc. It is much safer. When the temperature is too high or the voltage changes the cooker will enter protection mode. If no order of choice in 2 hours, it will stop automatically. There is no danger such as leakage, explosion, burn which are caused in case of gas stove hence it is less prone to accidents comparatively. While cooking, there is no flame and smoke, which make cooking easy and healthy.
- Various heating temperature: It can maintain an adjusted temperature all the time
- Timer set: It will stop working according to adjusted time.
- Protecting function: To ensure the induction cooker work properly, the inner system can check the cooker itself and adopt corresponding protecting function
- Easy to clean: Advanced black crystal glass plate is easy to be cleaned. The split water or milk etc can not be heated, and you can wipe it off with cloth after removing the pot.

2. SELECTION OF COOKWARES

- Suitable pots and containers:

- Pots made of enamel, stainless steel, cast iron should be of between 12cm and 26cm in diameter.



- Unsuitable ones

Containers made of aluminum, copper or aluminum alloy should not be used on the cooker as well as those whose diameter is less than 12cm, or diameter is more than 26cm.



3. USAGE

3.1 Switch on

Connecting the unit to an AC socket, all LED lights will blink and beep for 1sec, then the LED window will display “---”, and indicator of [Mở/Tắt]-ON/OFF keep blinking.

3.2 Operation and usage

- Power variation range: 200W - 2000W.
- After plugging in and switch-on the appliance, the indicator of [Mở/Tắt]-On/Off will glow. The induction cooker is ready to work
- Put the suitable cooking utensils (with food) in the center of glass plate, touch the button of [Mở/Tắt]-On/Off and then operate one of the following cooking modes per your requirement:

3.3 Hot Pot

- Touch the [Chức năng]-Function button to select [Lẩu]-Hot Pot while the induction cooker is stand-by, the LED lamp of [Mở/Tắt]-ON/OFF and [Lẩu]-Hot Pot will turn on, and the screen display 1200W.
- The induction cooker will heat at 1200W, and the power settings can be adjusted by “+” or “-”, from 200W to 2000W.

3.4 Fry

- Touch the [Chức năng]-Function button to select [Chiên]-Fry while the induction cooker is stand-by, the LED lamp of [Mở/Tắt]-ON/OFF and [Chiên]-Fry will turn on, the screen display 180°C. The induction cooker will heat at 180°C, and the temperature settings can be adjusted by “+” or “-”, from 60°C to 240°C.

3.5 BBQ

- Touch the [Chức năng]-Function button to select [BBQ] while the induction cooker is stand-by, the LED lamp of [Mở/Tắt]-ON/OFF and [BBQ] will turn on, the screen display 200°C. The induction cooker will heat at 200°C, and the temperature settings can be adjusted by “+” or “-”, from 60°C to 240°C.

3.6 Stir Fry

- Touch the [Chức năng]-Function button to select [Xào]-Stir Fry while the induction cooker is stand-by, the LED lamp of [Mở/Tắt]-ON/OFF and [Xào]-Stir Fry will turn on, and the screen display 2000 W. The induction cooker will heat at 2000W, and the power settings can be adjusted by “+” or “-”, from 200W to 2000W.

3.7 Boiling

- Touch the [Chức năng]-Function button to select [Nấu sôi]-Boiling while the induction cooker is stand-by, the LED lamp of [Mở/Tắt]-ON/OFF and [Nấu sôi]-Boiling will turn on, and the screen display 2000 W.
- The default cooking time for [Nấu sôi]-Boiling mode is 19min (heating at 2000W for 15min, then heating at 800W for 4min); the induction cooker will switch off automatically after 19min, with beeping of 3sounds.

3.8 Soup

- Touch the [Chức năng]-Function button to select [Soup] while the induction cooker is stand-by, the LED lamp of [Mở/Tắt]-ON/OFF and [Soup] will turn on, and the screen display "02:00" (time).
- The default cooking time for [Soup] mode is 2hrs; the induction cooker will switch off automatically after 2hrs, with beeping of 3sounds.
- Power settings cannot be adjusted during this cooking mode.

3.9 Steam

- Touch the [Chức năng]-Function button to select [Hấp]-Steam while the induction cooker is stand-by, the LED lamp of [Mở/Tắt]-ON/OFF and [Hấp]-Steam will turn on, and the screen display 1000W.
- The default cooking time for [Hấp]-Steam mode is 15min (heating at 1000W for 5min, then heating at 800W for 10min); the induction cooker will switch off automatically after 15min, with beeping of 3sounds.

3.10 Milk

- Touch the [Chức năng]-Function button to select [Nấu sữa]-Milk while the induction cooker is stand-by, the LED lamp of [Mở/Tắt]-ON/OFF and [Nấu sữa]-Milk will turn on, and the screen display 60°C.
- The default cooking time for [Nấu sữa]-Milk mode is 20min; the induction cooker will switch off automatically after 20min, with beeping of 3 sounds.
- Temperature settings cannot be adjusted during this cooking mode.

3.11 Time set

- You can preset a cooking time, change or check the current status of the remaining cooking time with the [Hẹn giờ]-TIMER button. You can set the cooking time from 1 minute (0:01) up to 3 hours (3:00, equivalent to 180 minutes).
- During timing, if you hold the +/- button, then the time settings will be increased/decreased by 10min/step.
- To apply the selected time, wait a few seconds without pressing other buttons. The timer is active.

- Please note: When a setting is not changed within about 3 seconds while the display is flashing, the appliance adopts the last displayed or set value.
- You can cancel timing, by hold the [Hẹn giờ]-TIMER button for 3sec.
- To stop the cooking process without preset time, turn the appliance off with the [Mở/Tắt]-ON/OFF button.

3.12 Preset (range from 00:01min to 23:59)

- While the appliance is in stand-by, you can preset the time to start that appliance, working at a certain cooking menu.
- Plug in the power cord
- Press [Mở/Tắt]-ON/OFF
- Press [Hẹn giờ]-Timer: while the first 2 numbers of "00:00" are flashing, you can set the hours, by +/- buttons. Then you can press [Hẹn giờ]-Timer again within 5 seconds to set the minute, while the last 2 numbers are flashing "00:00".
- Press [Chức năng]-Function within 5seconds while the display is flashing, then the appliance will start function later per the selected time.

3.13 Lock

- Hold the [Khóa]-Lock button for 2seconds, the appliance will enter into lock state, the LED window will display "Loc", any function key doesn't working (except [Mở/Tắt]-ON/OFF). And hold the [Khóa]-Lock button for 2seconds again, the unit will be back to unlock state.

4. MALFUNCTION MODE

If there is something wrong with the induction cooker, please check it as following before sending to repair.

MALFUNCTION	DISPOSAL
E0	There is no pot or unsuitable pot on the appliance.
E01	The input voltage is higher than normal voltage.
E02	The input voltage is lower than normal voltage.
E03	The IGBT is over heated, or IGBT sensor in open or short circuit.
E06	The thermal sensor under glass is in open/short circuit.
E07	The thermal sensor under glass is over heated.
E08	The thermal sensor under glass is invalid.

5. CLEANLINESS AND MAINTENANCE

- Before cleaning, please unplug to avoid electric shock!
- Do not place anything inflammable, acid or alkali near the cooker to avoid corrosion and short longevity.
- Do not immerse the cooker in water and do not use gasoline or benzene etc detergent to clean. You should use soft damp cloth to wipe it.
- Please do not rub the surface by the bottom of pots to avoid damage of the plate.
- Thoroughly clean the cooker before storing, cover it with plastic bag and keep it in dry place.

6. NOTE

- Use the cooker in correct temperature and humidity.
 - Do not touch the surface after using as it can be still hot.
 - Please use pots and containers with smooth bottom, if not, the temperature will not be high enough and lead to out of order. Do not use those pots made up of aluminum, copper or nonmetal.
 - With the sluggish conduction of heat, empty pots and containers will be destroyed or deformed even if the cooker has protecting function to deal with this situation. So please do not heat empty pots and containers.
 - To get the best efficiency, please use the recommended pots else it may cause out of order or poor efficiency.
 - If the supply cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified person in order to avoid a hazard.
 - This cooker does not heat small objects put on the heating surface. But you had better not put metal, forks, knives, spoons or watches on it, which will be damaged after the cooker starts to work.
 - Try not to collide the ceramic plate. If broken, please cut off the power immediately and send it to service center for help.
 - This appliance is not intended for use by person (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
-