


## 6/ Stir Cup Scale Schematic Diagram



## 7/ Simple Troubleshooting

Failure condition	Reason	Solution
The ingredients won't break	The voltage is too low	Steady voltage
	Too few or too many ingredients	Add the ingredients as required
	Too little water	The amount of water can not be less than the minimum water level
	The blade is too dull	Replace the new blade
Overflows	Too much water	Please add water to the scale
Burn	Excessive addition of materials	Please add the ingredients to the scale
Heat only not crush	The circuit board of the machine is out of order	Send it for repair

## 8/ Warranty Card

maintenance date	failure condition	replacement of accessories	expenses	user signature	maintenance signature

Notes:


Disclaimer: the following circumstances, will not be able to provide after-sales protection  
 (1) products purchased through our unauthorized network or other informal channels  
 (2) products without purchase voucher "Product Warranty Card"  
 (3) due to improper use or self-dismantling of the product  
 (4) this product warranty for one year  
 if not within the warranty period or does not fall within the scope of the warranty, the company will charge material fees as appropriate

# HƯỚNG DẪN SỬ DỤNG MÁY XAY SỮA HẠT MAGIC A-96



Quý khách vui lòng đọc kỹ hướng dẫn sử dụng trước khi sử dụng sản phẩm

## 1/ Các biện pháp phòng ngừa an toàn khi sử dụng thiết bị điện

 Chú ý	Sản phẩm hoạt động trong thời gian lâu và cần người có mặt khi sử dụng. Khi không sử dụng trong thời gian dài hoặc không có người để canh máy, hãy rút phích cắm ra.	 Chú ý	Khi bạn ra ngoài hoặc ngủ vào ban đêm, nguồn điện cần được ngắt.
	<ul style="list-style-type: none"> <li>Một số các bộ phận của máy vẫn sẽ được cấp điện khi trong trạng thái chờ, có thể dẫn đến cháy do cách điện nứt hoặc rò rỉ điện.</li> </ul> 		<ul style="list-style-type: none"> <li>Mô hình tiện ích của máy có thể tránh cháy nổ do mạch điện bị cũ và tiết kiệm điện.</li> </ul> 
 Cấm	Không được xịt cồn, dầu dễ bay hơi, sơn, thuốc trừ sâu.	 Cấm	Không được để sản phẩm gần các vật dễ cháy nổ và không được sử dụng cạnh các hợp chất dầu cơ khí.
	<ul style="list-style-type: none"> <li>Có thể dẫn tới giật điện hoặc cháy nổ.</li> </ul> 		<ul style="list-style-type: none"> <li>Có thể dẫn đến nứt nẻ, mùi hôi, khói chịu và cháy nổ.</li> </ul> 
 Rút phích cắm ra	Hãy đảm bảo phích cắm được rút ra khi không sử dụng một thời gian lâu hoặc khi bạn đi ra ngoài.	 Không để nước vào	Không được sử dụng ở những nơi ẩm ướt như nhà vệ sinh, phòng tắm...
	<ul style="list-style-type: none"> <li>Một số các bộ phận của máy vẫn sẽ được cấp điện khi trong trạng thái chờ, có thể dẫn đến cháy do cách điện nứt hoặc rò rỉ điện.</li> <li>Không được giặt dây điện khi muốn rút phích cắm. Luôn luôn rút từ phích cắm ra.</li> </ul> 		<ul style="list-style-type: none"> <li>Máy sẽ bị cách nhiệt kém, dẫn đến rò rỉ điện hoặc hỏng máy.</li> </ul> 
 Chú ý	Hãy đảm bảo phích điện được cắm trước khi sử dụng.	 Cấm	Không được rút phích cắm với tay ướt.
	<ul style="list-style-type: none"> <li>Phích phải được cắm chặt vào ổ điện. Không nên bị lỏng hay cắm không vào hết, tạo ra khoảng hở nguy hiểm.</li> </ul> 		<ul style="list-style-type: none"> <li>Đây là nguyên nhân dẫn đến giật điện, ngắn mạch và cháy nổ.</li> </ul> 
 Chú ý	Không được sử dụng bất kì cắm nào ngoài 220V.	 Cấm	Không được sử dụng phích cắm điện nhiều ổ cắm.
	<ul style="list-style-type: none"> <li>Sử dụng nguồn điện không phải 220V hoặc ổ cắm không đủ dòng điện là nguyên nhân dẫn đến cháy nổ.</li> </ul> 		<ul style="list-style-type: none"> <li>không được sử dụng ổ cắm nối dài hoặc sử dụng chung ổ cắm điện với các thiết bị điện khác. Điều này có thể dẫn đến tình trạng quá nhiệt, nguy cơ cháy nổ.</li> </ul> 
 Cấm	Không được giảm lên dây điện & phích cắm điện.	 Không được chạm	Không được sử dụng ở những nơi ẩm ướt như nhà vệ sinh, phòng tắm...
	<ul style="list-style-type: none"> <li>Không được làm hỏng dây điện và phích cắm điện vì rất dễ bị giật điện, ngắn mạch hoặc cháy. Nếu như phích cắm bị hư hại, để tránh rủi ro, nguy hiểm, cần được thay thế bởi nhà cung cấp hoặc nhân viên bảo trì.</li> </ul> 		<ul style="list-style-type: none"> <li>Không được rút phích cắm với tay ướt. Điều này có thể dẫn đến giật điện.</li> </ul> 

## 2/ Chi tiết thông tin sản phẩm

Model	Điện sử dụng	Công suất nhiệt	Công suất điện
A-96	220V~50Hz	800W	800W

## 3/ △ Chú ý

 Không được chạm	<b>Vui lòng không chạm vào bên ngoài của máy khi máy đang hoạt động</b> Trong quá trình hoạt động, nhiệt độ bề mặt của cối xay sẽ tăng lên. Vui lòng không chạm tay vào, không được để trẻ em lai gần.
 Không được tháo rời	<b>Không được tháo rời máy, tự sửa chữa hay sửa đổi</b> Tự tháo máy hay tự lắp máy có thể dẫn tới lắp đặt sai, hư hỏng máy và gây ra tai nạn bất nhã ý.
 Cấm	<p>Vui lòng không đặt cối xay trực tiếp vào tủ lạnh hoặc tủ đông vì làm lạnh nhanh hoặc nhiệt độ thấp sẽ khiến bên trong cối bị ngưng tụ, dễ làm hỏng các bộ phận điện, dẫn tới hỏng máy.</p> <p>Không được mở nắp nhỏ hoặc mở nắp của cối xay trong quá trình hoạt động để tránh bị đóng cặn bởi bã mặt nồng, phun hơi nước.</p>
	<p>Khi vệ sinh cối xay, phần đậm đặc của cối không nên được rửa nước trực tiếp, để tránh phần thân cối vào nước và dẫn tới hư hỏng hoặc gây ra sự cố ngoài ý muốn. Thiết bị không được ngâm trong nước.</p> <p>Vui lòng lưu ý vị trí đặt máy, không được đặt máy trên máy tính bàn hoặc các vị trí không bằng phẳng. Máy cần giữ một khoảng cách nhất định với các vật dụng khác để duy trì khả năng thông gió tốt bên ngoài máy, đảm bảo tuổi thọ của máy.</p>

## Những điều cần lưu ý

- Vui lòng đọc kỹ hướng dẫn sử dụng trước khi sử dụng máy.
- Vui lòng giữ phích cắm điện và thân máy khô ráo.
- Không thực hiện các thao tác không được hướng dẫn trong cuốn hướng dẫn sử dụng này, không được tháo dỡ và tự sửa đổi sản phẩm, nếu không sẽ ảnh hưởng đến tuổi thọ của sản phẩm.
- Lưỡi dao bén, vui lòng không chạm vào. Bạn nên cẩn thận khi tháo lưỡi dao, làm sạch cối xay và trong quá trình vệ sinh.
- Nguồn điện phải được nối và ngắt một cách an toàn. Vui lòng ngắt nguồn điện trước khi tháo ra hay lắp cối xay vào.
- Tắt công tắc nguồn và ngắt nguồn điện trước khi tháo rời phụ kiện máy hoặc chạm vào các bộ phận chuyển động của máy.
- Tắt công tắc nguồn và rút phích cắm ra khi không sử dụng.
- Không để trẻ em lai gần hoặc đụng vào máy khi sử dụng. Không để trẻ tự sử dụng máy. Không để máy ở vị trí trẻ em có thể với tới để tránh các tai nạn đáng tiếc.
- Chú ý tới việc thu gom và bảo vệ dây điện, phích điện. Lưu ý: không xử lý nguồn điện, làm đứt, kéo, móp méo, kéo dài và không đe nặng lên, tránh làm đứt dây điện, hỏng hóc máy và các tai nạn không mong muốn.
- Không làm hỏng dây và phích cắm. Điều này có thể dẫn đến giật điện, ngắn mạch hoặc cháy nổ. Nếu phích điện bị hư hỏng, cần được thay thế bởi nhà sản xuất, nhà cung cấp hoặc chuyên viên kỹ thuật, bảo trì để tránh các trường hợp nguy hiểm xảy ra.
- Máy sử dụng mô tơ công suất cao. Máy sẽ liên tục nghiên nguyên liệu nên âm thanh nhanh hoặc chậm là điều bình thường.
- Trước khi máy hoạt động, vui lòng cắt và chuẩn bị sẵn nguyên liệu với độ dài phù hợp là 4cm.

13. Để máy tránh xa lửa, nước và các chất dễ cháy khi sử dụng.
14. Không được tự sử dụng sản phẩm nếu bạn bị hạn chế khả năng vận động, là người lớn tuổi, có trẻ em hoặc chậm phát triển trí tuệ. (không tự sử dụng máy nếu bạn không có đủ kinh nghiệm hay kiến thức. Hãy sử dụng máy với sự hướng dẫn của người lớn hoặc người giám hộ).
15. Trước khi sử dụng, vui lòng lau điện cực chống tràn, điện cực tiếp xúc để tránh tình trạng hư hỏng hoặc báo tín hiệu.
16. Khi máy đang trong quá trình hoạt động, cối xay nóng vui lòng cẩn thận với ống phun ra hơi và nước nóng bắn tung toé. Không được nhấc nắp lên.
17. Máy phải được nối lại nguồn điện trước khi sử dụng các bộ phận ghép nối, tiếp điểm và các bộ phận khác để giữ máy khô và sạch.

## 4/ Mô tả bộ phận và cấu tạo máy



### Mô tả các bộ phận:

1. Nắp đậy cối xay
2. Cối xay: làm từ thuỷ tinh borosilat với đệm nhiệt dưới đáy để nấu, hâm nóng súp.
3. Trục truyền động: chuyển đổi công suất từ motor giúp luõi dao xoay.
4. Miếng đệm chống sốc ổn định: sử dụng chất liệu silica gel cho cối xay, cần được nén đúng hướng của cối xay.
5. Bảng điều khiển: bạn có thể lựa chọn và thiết lập các chức năng bạn cần.
6. Đế máy: hỗ trợ máy với chân chống sốc ở đế.
7. Nắp chống tràn: dùng để ngăn hơi nước thoát ra, ngăn ngừa bong.
8. Tay cầm: dùng để lấy cối xay ra khi cầm.

9. Luõi dao: làm từ inox không gỉ, giúp xay nhuyễn và nghiền các loại nguyên liệu.
10. Khớp nối trên và dưới: khớp dưới vừa vặn. Khi khớp nối trên được dùng, khớp nối trên nên được ấn theo góc phương vị.
11. Thân máy: làm từ vật liệu nhựa ABS bảo vệ môi trường an toàn và đáng tin cậy.
12. Mở nắp và nguồn sẽ tự động ngắt.

## 5/ Bảng điều khiển và mô tả các tính năng

### Bảng điều khiển A-96 với mô tả các tính năng



Nút rửa: bấm nút "bắt đầu/tạm dừng" sau khi bắt nguồn, nhấn lâu nút "rửa", thả tay ra và máy sẽ ngừng hoạt động.

**Lưu ý:** Các tính năng: súp đậu nành, súp đặc, ngũ cốc, cơm nhào, cháo, sữa ngọt cần được thêm lượng nước vừa đủ vào trước khi bắt đầu. Nếu người dùng không thêm nước vào khi sử dụng, người dùng sẽ phải chịu trách nhiệm cho sự hỏng hóc của máy.

**Mẹo:** Nếu bạn thấy chế độ đã lùa chọn không đúng, bạn có thể hủy chế độ và lựa chọn lại. Khi chương trình của máy đang chạy mà bị tạm dừng, thực phẩm phải được nạp vào lại để bạn có thể lựa chọn lại chế độ đúng, nếu không sẽ xảy ra tình trạng tràn.


Nút "Bắt đầu/tạm dừng": bấm nút này để khởi động máy sau khi mở nguồn. Bạn cũng có thể bấm nút này khi muốn máy tạm dừng hoạt động. (nếu chương trình dừng lại sau khi đếm ngược, các nguyên liệu đang được xay trong cối phải được đổ đi và nạp lại.)

Nút "Thời gian": bấm "Bắt đầu/tạm dừng" để lùa chọn chế độ. Sau đó, bấm nút "Thời gian" để cài đặt giờ. Dùng nút "+" hoặc "-" để điều chỉnh thời gian. Tiếp theo, bấm nút "Bắt đầu/tạm dừng" để bắt đầu đếm ngược thời gian xong.

Nút "Nhiệt": bấm nút này để giữ nhiệt độ sữa ở 60°C



## Lưu ý khi sử dụng:

- Sau khi cắm điện, màn hình sẽ hiển thị rằng E2 không thể được bật; sản phẩm sử dụng chức năng bảo vệ an toàn. Nếu như nắp đây sản phẩm không được đặt ở đúng vị trí, màn hình sẽ hiển thị mã E2. Cách sử dụng đúng: tay cầm nắp và tay cầm cối xay ở góc 45 độ, ép sang trái để xoay tay cầm nắp song song tay cầm cối xay để sử dụng (như hình minh họa dưới).
- Khi mã E3 hiển thị sau khi được cắm điện hoặc sử dụng, máy sẽ tự động ngừng chạy. Mã E3 hiển thị báo cho quý khách rằng nhiệt độ của tẩm gia nhiệt của sản phẩm đang quá cao và máy sẽ tự động ngừng hoạt động dưới tính năng tự bảo vệ của máy. Giải pháp đúng: đổ hết các nguyên liệu từ trong cối xay ra, sau đó, dùng nước lạnh để làm sạch tẩm gia nhiệt là có thể tiếp tục sử dụng.




## Sữa đậu nành:

- Đổ một ly đậu (đậu khô đã được rửa sạch, không được ngâm) và một ly nước 1000-1200 ml vào.
- Sau khi cắm điện, bấm nút bắt đầu để khởi động máy (đèn báo sáng lên).
- Liên tục bấm nút chức năng cho đến khi đèn của chức năng xay sữa đậu nành sáng lên.
- Khi bấm nút bắt đầu, máy sẽ chạy chương trình tự động. Máy sẽ hiển thị nhiệt độ nước trong cối xay, ví dụ như: 026°, 021°. Làm nóng ở 100 khi bắt đầu đếm ngược, khi đếm ngược xuống 0, máy sẽ tự động vào trạng thái chờ. Sữa đậu nành đặc được xay xong. Lưu ý: máy trong chương trình sẽ không theo chế độ đếm ngược, khi hoàn thành sẽ tự động vào trạng thái chờ (đèn chức năng sẽ không được bật lên). Bạn có thể đổ sữa ra và uống. Các chức năng khác cũng giống như chức năng sữa đậu nành trừ trái cây và rau củ - sử dụng chế độ nghiên, không dùng nhiệt.
- Sản phẩm này sử dụng mô tơ công suất cao, khi hoạt động ở tốc độ cao, âm thanh bình thường ở mức 75-80 decibels (dB), âm thanh càng thấp thể hiện công suất mô tơ, tuổi thọ càng ngắn.



## 6/ Sơ đồ tỷ lệ đóng của cối xay



## 7/ Cách khắc phục sự cố đơn giản

Tình trạng sự cố	Lí do	Giải pháp
Nguyên liệu không nghiền nhuyễn	Công suất điện quá thấp	Cung cấp nguồn điện ổn định, đầy đủ
	Quá ít hoặc quá nhiều nguyên liệu	Thêm hoặc bớt nguyên liệu theo yêu cầu, hướng dẫn
	Quá ít nước	Lượng nước không được ít hơn mức nước tối thiểu
	Lưỡi dao bị mòn	Thay lưỡi dao mới
Bị tràn	Quá nhiều nước	Vui lòng thêm nước theo mức trên cối
Bị bong nóng	Bổ sung quá nhiều nguyên liệu	Vui lòng thêm nguyên liệu theo mức trên cối
Chỉ có mỗi nhiệt, máy không nghiền	Bảng mạch của máy bị lỗi	Chuyển máy cho chuyên viên kỹ thuật để bảo trì

## 8/ Phiếu bảo hành

Ngày bảo trì	Tình trạng sự cố	Thay thế phụ kiện	Chi phí	Chữ ký gửi dùng	Chữ ký người bảo trì

Lưu ý:

Những trường hợp sau đây sẽ không được hỗ trợ bởi chính sách hậu mãi:  
 (1) Sản phẩm được mua thông qua các trang mạng không được ủy quyền hoặc các kênh không chính thức  
 (2) Sản phẩm không có phiếu mua hàng và "Phiếu bảo hành sản phẩm"  
 (3) Do sử dụng không đúng cách hoặc tự tháo dỡ sản phẩm  
 (4) Sản phẩm này được bảo hành trong vòng 1 năm  
 Nếu sản phẩm bảo trì không trong thời gian bảo hành hoặc không thuộc phạm vi được bảo hành, công ty sẽ tính phí vật tư phù hợp.

# HIGH SPEED JUICER BLENDER MAGIC A-96



## INSTRUCTION MANUAL

Please read the instruction manual  
carefully before installing or using

## 1/ Safety precautions for electrical goods

 <p><b>Pay Attention</b></p> <p>Product in the long-term boot operation or use of the need for someone to be present, such as a long time not to use or personnel leave, go out please pull the plug.</p> <ul style="list-style-type: none"> <li>• some parts are still electrified while standby, which may cause fire due to deterioration of insulation or leakage of electricity.</li> </ul> 	 <p><b>Pay Attention</b></p> <p>When going out or sleeping at night, power should be cut off.</p> <ul style="list-style-type: none"> <li>• The utility model can avoid the fire accident caused by the aging of the circuit and save the electricity.</li> </ul> 
 <p><b>Prohibited</b></p> <p>Do not spray alcohol volatile oil, paint, pesticides.</p> <ul style="list-style-type: none"> <li>• May cause electric shock and fire accidents.</li> </ul> 	 <p><b>Prohibited</b></p> <p>Do not allow the product to be inhaled or put into combustible articles and not to be used in the floating parts of the mechanical oil composition</p> <ul style="list-style-type: none"> <li>• Can cause cracking, smell and fire accidents.</li> </ul> 
 <p><b>Pull the plug</b></p> <p>Be sure to unplug the power cord when not in use for a long time or when going out.</p> <ul style="list-style-type: none"> <li>• Some parts are still electrified while standby, which may cause fire accident due to insulation cracking or leakage.</li> <li>• Do not pull the power cord when unplugging. Always Unplug from the plug.</li> </ul> 	 <p><b>No water</b></p> <p>Do not use in damp places such as bathrooms</p> <ul style="list-style-type: none"> <li>• Will Cause poor insulation, resulting in leakage or failure.</li> </ul> 
 <p><b>Pay Attention</b></p> <p>Please make sure the power cord is plugged in before using</p> <ul style="list-style-type: none"> <li>• The plug should be firmly attached to the socket. It should not be loose or incompletely inserted.</li> </ul> 	 <p><b>Prohibited</b></p> <p>Do not unplug the power cord with wet hands</p> <ul style="list-style-type: none"> <li>• This is the cause of electric shock, short circuit and fire</li> </ul> 
 <p><b>Pay Attention</b></p> <p>Do not use any outlet other than 220V</p> <ul style="list-style-type: none"> <li>• Using a power supply other than 220V or an electrical outlet with insufficient current is the main cause of the fire.</li> </ul> 	 <p><b>Prohibited</b></p> <p>Do not use multiple power cord sockets</p> <ul style="list-style-type: none"> <li>• Do not use extension cord socket or share power socket with other electrical appliances, there will be overheating, bowThe risk of fire.</li> </ul> 
 <p><b>Prohibited</b></p> <p>Do not step on the power cord</p> <ul style="list-style-type: none"> <li>• Do not damage the power cord and plug, it is easy to get electric shock, short circuit or fire, if the power cord is damaged, in order to avoid danger, must be replaced by the manufacturer, his maintenance department or a professional.</li> </ul> 	 <p><b>No touching</b></p> <p>Do not use in damp places such as bathrooms</p> <ul style="list-style-type: none"> <li>• Do not use wet hand to unplug the plug \$there is a risk of electric shock.</li> </ul> 

## 2/ Model specifications

Model Number	Rated Voltage	Heating Power	Electric Power
A-96	220V~50Hz	800W	800W

## 3/ Pay Attention

 <p><b>No touching</b></p> <p><b>Please do not touch the shell of the barrel when the machine is working</b></p> <p>During the working process, the surface temperature of the cup body will increase. Please don't touch it with your hands, and don't let children get close to it.</p>	
 <p><b>Disassembly prohibited</b></p> <p><b>Do not disassemble, repair or modify</b></p> <p>Self-disassembly or refit, easy to cause poor assembly and cause unexpected failures and accidents, and will seriously affect consumer rights.</p>	
 <p><b>Prohibited</b></p> <p>Please do not put the large cup directly into the refrigerator or freezer, because the rapid cooling and low temperature will make the cup seat internal"Condensate", easy to damage electrical parts, leading to body failure.</p>	 <p><b>Do not open the small lid or open the lid of the cup at will during the making process. Prevent from being scalded by hot surface, gushing water vapor.</b></p>
 <p><b>Prohibited</b></p> <p>When cleaning a large cup, the cup seat should not be rinsed directly with water, in order to avoid the body into water and lead to failure or cause unexpected accidents. The appliance shall not be immersed in water.</p>	 <p>Please note the placement of the machine, please do not place on the desktop. And unstable position. And need to wall or other items to maintain a certain distance to maintain good ventilation outside the machine, to ensure the life of the machine.</p>

## Points to note

1. Please read the instructions in the manual carefully before using it.
2. please keep the power cord plug and the body dry.
3. Do not carry out the operation not described in this manual, not to dismantle and modify this product, otherwise it will affect the life of this product .
4. Sharp Blade, do not touch. Care should be taken when removing the cutting blade, emptying the mixing bowl, and during cleaning.
6. The power supply must be reliably grounded, and please cut off the power supply before taking out or putting in the large cup part.
7. Turn off the power switch and disconnect the power supply before replacing accessories or touching moving parts.
8. If not in use, please turn off the switch and unplug the plug.
9. Please do not let the child near or touch the body in use, nor allow the child to use alone. Do not put it in the place where the child can be magnetically touched during normal collection so as to avoid unexpected accidents.
10. pay attention to the collection and protection of power supply: Use and collection, pay attention not to the power processing, break, pull, any distortion, lengthening, and do not let the weight pressure, in order to avoid the power cord skin and cause unexpected failure and accidents.
11. Do not damage wires and power plugs, which may cause electric shock, short circuit or fire. If the power cord is damaged, it must be replaced by the manufacturer, his maintenance department, or a professional in a similar department to avoid dangerous inspection.
12. the machine uses high-speed motor, grinding occurs intermittently fast and slow sound is a normal phenomenon.
13. Before the machine works, please cut off the prepared food, which is 4cm long.

14. Keep away from fire, water and flammable materials during use.
15. Do not use this product alone if you have limited mobility, are elderly, have children or are mentally retarded. (do not use this product alone if you do not have the necessary experience or knowledge. Use this product with the guidance of a parent or a safety guardian.) .
16. before use, please anti-overflow electrode, contact electrode and so on wipe clean, prevent its function failure, or cause an alarm.
17. the machine in the process of work, the cup barrel after the liquid boiling please be careful of the spout out of steam and spatter of hot water. Do not lift the lid.
18. the machine must be re-electrified before the use of couplers, contacts and other dry, and keep clean.

## 4/ Parts description of each department



### Parts description:

1. Cup cover: Mixing Cup cover.
2. Mixing Cup: high borosilicate food-grade glass with heating device at the bottom for holding soup.
3. Mushroom Head: transfer the power of motor torsion.
4. fixed anti-shock pad: the use of silica gel material, for the use of fixed mixing cup, need to be on the right mixing cup orientation compression.
5. Operation Panel: here you can select and set the required functions.
6. Base: support the machine with shock-proof feet at the bottom.
7. Anti-overflow cover: Used to block the steam, to prevent burns.
8. Handle: Used to take out the cup when holding the position.

9. Blade: stainless steel material, used for cutting and crushing all kinds of food.
10. Upper and lower couplers: the lower coupler fits. When the upper coupler is used, the upper coupler should be azimuthal pressed.
11. Fuselage shell: ABS environmental protection material safe and reliable.
12. Open the cover and cut off the power

## 5/ Operation Panel and function description

### A-96 operation panel with function description



**DIY function instructions:**  
you can freely adjust the beating time and beating speed, to achieve DIY function. Here's how:  
1.Press "DIY" key and then press "+" or "-" subtract, adjust the beating time, each time press the time plus or minus seconds, do not choose the default of 1 minute.  
2. Select a good time and then "DIY" key, press "+" or "-" subtract, adjust the whip gear, each press, speed up or down 1 gear, the maximum whip gear is 9  
3.Select the time and speed, press "Start/pause" machine according to your set time and speed for DIY Energy,finished automatically stop.

**12 smart menus:**  
1.When the machine is electrified, press the "Start/pause" button,then press the"Function" button to select the function, select the corresponding function and then press the"Start/pause" button, the machine will start work automatically, when the work is finished, the machine will stop automatically.  
2.If the function is wrong, you can press the"Start/pause"button to cancel the function selection, you can re-select the function,you can also press the"Start/pause" button to pause the work of the machine.

Click/wash button: press "Start/pause" after power-on, press "Click/wash" button for a long time, release hand, machine stop working

**Note:** Soya-bean milk, thick soup, cereal, rice paste, corn juice in the start with the appropriate water, if the user does not add water when using the machine failure caused by the user to bear their own.


## Use Notes

1. After plugging in the screen shows that the E2 can not be turned on; the product uses the safety protection function. If the cap is not in the correct position the screen will display the code for E2. Correct use: the lid handle and the cup handle Edge 45 degrees angle pressed to the left to turn the lid handle and the glass handle parallel to use.

2. When the E3 code appears after being plugged in or in use, the machine will stop automatically.

If the E3 code appears, it means that the product heating plate temperature is too high, and the machine will stop automatically under the self-protection of the machine.

The correct solution: empty the cup of all the ingredients, with cold water to clean the heating plate can continue to use.



## Soya-bean milk

1. pour a cup of beans (dry beans wash, do not soak) , pour in 1000-1200 ml of water.

2. after the plug-in press the start function to wake up the machine (indicator lights all up).

3. Press the function button repeatedly until the soy milk display light flashes.

4. Press the Start button and the machine will enter the automatic program. After entering, it will show the temperature of the water in the cup, such as 026 °, 021 °. Heating to 100 after the start of the countdown, such as the countdown to 0 machine automatically into standby state. The thick soybean milk is finished. Note: The Machine into the program do not have to go to the machine how to run the countdown will be completed automatically into standby state (function lights are not on) . You can pour it out and drink it. The other functions are the same as soybean milk except fruit and vegetable, grinding function without heating.

5. this product uses a high-power motor, when working for high-speed operation, sound in 75-80 decibels is normal, the lower the sound represents the motor power, low life is shorter.

